

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1	10/623624	US-PGPUB; USPAT	OR	OFF	2006/02/13 11:18
S2	2	10/623264	US-PGPUB; USPAT	OR	OFF	2006/02/13 15:03
S3	35698	laser near5 control	US-PGPUB; USPAT	OR	OFF	2006/02/13 11:38
S4	5767	S3 and optical adj2 dis\$1	US-PGPUB; USPAT	OR	OFF	2006/02/13 11:39
S5	1234	S3 same test\$3	US-PGPUB; USPAT	OR	OFF	2006/02/13 11:39
S6	5767	S4 and optical adj2 (dis\$1 medium)	US-PGPUB; USPAT	OR	OFF	2006/02/13 11:40
S7	370	S5 and optical adj2 (dis\$1 medium)	US-PGPUB; USPAT	OR	OFF	2006/02/13 11:40
S8	218	S7 and calibrat\$4	US-PGPUB; USPAT	OR	OFF	2006/02/13 11:40
S9	195	S8 and "369"/\$.ccls.	US-PGPUB; USPAT	OR	OFF	2006/02/13 11:41
S10	100	S8 and "369"/\$.ccls.	USPAT	OR	OFF	2006/02/13 11:42
S11	918	369/116.ccls.	USPAT	OR	OFF	2006/02/13 11:42
S12	438547	(laser diode)	USPAT	OR	OFF	2006/02/13 11:43
S13	81579	S12 near10 control\$4	USPAT	OR	OFF	2006/02/13 11:43
S14	6826	S13 same monitor\$4	USPAT	OR	OFF	2006/02/13 11:43
S15	242	S14 same calibrat\$5	USPAT	OR	OFF	2006/02/13 11:43
S16	123	S15 and (dis\$1 medium)	USPAT	OR	OFF	2006/02/13 11:43
S17	1	"5675600".pn. 2001\043534	US-PGPUB; USPAT	OR	OFF	2006/02/13 12:16
S18	2	"5675600".pn. 2001\0043534	US-PGPUB; USPAT	OR	OFF	2006/02/13 12:17
S19	6316	laser adj2 driver	US-PGPUB; USPAT	OR	OFF	2006/02/13 12:17
S20	2773	S19 near10 control\$4	US-PGPUB; USPAT	OR	OFF	2006/02/13 12:18
S21	1701	S20 same signal	US-PGPUB; USPAT	OR	OFF	2006/02/13 12:18
S22	149	S21 same test\$4	US-PGPUB; USPAT	OR	OFF	2006/02/13 12:19
S23	3	S22 same channel	US-PGPUB; USPAT	OR	OFF	2006/02/13 12:26
S24	62269	laser near10 output	US-PGPUB; USPAT	OR	OFF	2006/02/13 12:27

S25	11728	S24 same (jitter temperature vary\$6)	US-PGPUB; USPAT	OR	OFF	2006/02/13 12:27
S26	3770	S25 same control	US-PGPUB; USPAT	OR	OFF	2006/02/13 12:27
S27	1621	S26 same signal	US-PGPUB; USPAT	OR	OFF	2006/02/13 12:28
S28	368	S27 same drive	US-PGPUB; USPAT	OR	OFF	2006/02/13 12:28
S29	54	S28 same optical adj2 (dis\$1 medium)	US-PGPUB; USPAT	OR	OFF	2006/02/13 12:34
S30	42859	laser adj2 diode	US-PGPUB; USPAT	OR	OFF	2006/02/13 12:34
S31	1698	S30 near8 feedback	US-PGPUB; USPAT	OR	OFF	2006/02/13 12:34
S32	242	S31 same drive	US-PGPUB; USPAT	OR	OFF	2006/02/13 12:35
S33	159	S32 same control\$4	US-PGPUB; USPAT	OR	OFF	2006/02/13 12:35
S34	10	S33 same optical adj2 (dis\$1 medium)	US-PGPUB; USPAT	OR	OFF	2006/02/13 12:36
S35	28	S33 and optical adj2 (dis\$1 medium)	US-PGPUB; USPAT	OR	OFF	2006/02/13 12:41
S36	1733	feedback near20 drive adj2 signal	US-PGPUB; USPAT	OR	OFF	2006/02/13 12:42
S37	148	S36 same (measure adjust vary\$6)	US-PGPUB; USPAT	OR	OFF	2006/02/13 12:41
S38	2	S37 same laser adj2 power	US-PGPUB; USPAT	OR	OFF	2006/02/13 12:42
S39	1159	feedback same (laser near10 drive)	US-PGPUB; USPAT	OR	OFF	2006/02/13 12:42
S40	56	S39 same ((adjust vary\$6) near10 (power signal))	US-PGPUB; USPAT	OR	OFF	2006/02/13 12:43
S41	16	S40 and optical adj2 (dis\$1 medium)	US-PGPUB; USPAT	OR	OFF	2006/02/13 13:05
S42	1455	chia near2 chou chih near2 chen	US-PGPUB; USPAT	OR	OFF	2006/02/13 13:06
S43	15	S42 and laser near3 driver	US-PGPUB; USPAT	OR	OFF	2006/02/13 13:07
S44	6316	laser and drive	EPO; JPO	OR	OFF	2006/02/13 13:07
S45	2836	S44 and signal	EPO; JPO	OR	OFF	2006/02/13 13:07
S46	175	S45 and feedback	EPO; JPO	OR	OFF	2006/02/13 13:07
S47	13	S46 and optical adj2 (dis\$1 medium)	EPO; JPO	OR	OFF	2006/02/13 13:10
S48	1006	(test\$3 monitor\$4) near20 (drive near10 laser)	US-PGPUB; USPAT	OR	OFF	2006/02/13 13:11

S49	173	S48 same (jitter skew\$4 var\$7)	US-PGPUB; USPAT	OR	OFF	2006/02/13 13:12
S50	112	S49 and (dis\$1 medium)	US-PGPUB; USPAT	OR	OFF	2006/02/13 13:12
S51	451	S48 same signal	US-PGPUB; USPAT	OR	OFF	2006/02/13 13:12
S52	72	S49 same signal	US-PGPUB; USPAT	OR	OFF	2006/02/13 13:12
S53	42	S52 and (dis\$1 medium)	US-PGPUB; USPAT	OR	OFF	2006/02/13 13:12
S54	2364	automatic adj2 power adj2 control	US-PGPUB; USPAT	OR	OFF	2006/02/13 15:03
S55	308	S54 same feedback	US-PGPUB; USPAT	OR	OFF	2006/02/13 15:03
S56	82	S55 and optical adj2 (dis\$1 medium)	US-PGPUB; USPAT	OR	OFF	2006/02/13 15:03